



QUICK START GUIDE

Automatic calf feeder smart

1.7.1 Cleaning with two detergent

This document shows the settings for cleaning a combi machine with two detergents as of software version 5.1.

1 Cleaning settings

Refer to the instructions of the detergent manufacturer for the recommended settings



cleaning

settings

temperature 1: [45.0 °C]

temperature 2: [45.0 °C]

detergent 1 : * 5 ml / L

detergent 2 : * 5 ml / L

Teat cleaning : no

hose length

Drainage mode yes

HE milk empty yes

rinse hose

temperature during the cleaning process max. 58°C

amount of detergent / liter

[yes /no] after cleaning water is pumped through the suction hose

Only with HygieneBox: Adjustable per feeding station (in m)

[yes/no] drainage function of the suction hoses

heat exchanger cleaning after fresh milk is emptied

After complete feeding of a portion, 0.25L of warm water is dosed out and the hose is cleaned

* Standard 0 ml / L

< Group A - D >

aktive : [yes]

as of plan day: 14

[yes/no]

Starting date

(Not with IFS Pump!)

2 Automatic

Setting the parameters for automatic cleaning



cleaning

cleaning plan

Time	Cleaning	Type
10:00	Mixer	1
16:00	HE	1
22:00	hose	1 + 2
...		



Set times



Can be selected depending on the equipment
Hose = HygieneBox



Type of cleaning
Type 1: alkaline
Type 1 + 2: alkaline and then acidic

3 Manual

Cleaning processes can also be started manually



cleaning

manual start

Mixer
Wärmetauscher
Circuit cleaning
auto. circuit cleaning
Sponge
Start draining mode

Only with HygieneBox